

AUCTION

RMT TECHNOLOGIES, INC. LARGE MACHINE & FABRICATION SHOP

3131 RANDOLPH • BELLWOOD, IL 60104

**WEDNESDAY SEPT. 12TH, 2007
AT 9:00 A.M. LOCAL TIME**



Betebender Press Brake



Takisawa TC-23



Victor VMC



Betebender Shear



Hurco CNC VMC



INTERNATIONAL
AUCTIONEERS,
INCORPORATED

Appraisals • Auctions • Liquidations

8711 West Bryn Mawr • Suite 605 • Chicago, IL 60631

Tel.: 773.864.9775 • Fax: 773.864.9776

www.iaiauctions.com

IL Auction Lic. #041.0000551

DIRECTIONS

Bellwood is a western suburb of Chicago. RMT is located south of St. Charles Road between 25th Ave. and Mannheim Rd. at the intersection of Eastern Ave. and Randolph St.

proxibid

www.proxibid.com



Bridgeport Mill



Bridgeport Series II



Bridgeport



Deckel FP-2 Mill



Hardinge HLV



Hardinge Speed Lathe



Harrison 13 x 45 Lathe



Harrison 16 x 66 Lathe



K & T 1236 Mill



Leblond Lathe



Lilian Mill



Wasino LJ-3B



Wasino XXL



Brierley Grinder



Clausing Drills

CNC VERTICAL MACHINING CENTERS

1996 Hurco Model BM4020HT CNC Vertical Machining Center: s/n B42591012076AC; with Ultimex SSM control, 24 position ATC, 48" x 20" table, travels: X=40", Y=20", Z=24", 8,000 r.p.m. spindle speed, chip conveyor, steel telescoping way covers, coolant system

Victor V Center-4 CNC Vertical Machining Center: with Fanuc 10M control, 16 position ATC, 6,000 r.p.m. spindle speed, 36" x 17" table, travels: X=22", Y=16", Z=18", steel telescoping way covers, coolant system

CNC TURNING CENTERS

Wasino Model XXLJ-103M CNC Slant Bed Turning Center: with Fanuc 10T control, 12 position turret with 1 position live tooling, 10" 3 jaw chuck, tailstock, coolant system

1989 Wasino Model LJ-3B CNC Slant Bed Turning Center: s/n 308; with Fanuc OT control, 8 position turret, tailstock, coolant system

Takisawa Model TC-3 CNC Slant Bed Turning Center: s/n THUAS3876; Fanuc control, 10 position turret, 10" 3 jaw chuck, tailstock, coolant system

CYLINDRICAL GRINDERS

Tos Hostivar Model BUAJ28 Universal Cylindrical Grinder: s/n 109073 (1990); with Dynamic Balance System, 11" swing x 22" center distance, coolant system

Tos Holice Model BU16 Universal Cylindrical Grinder: s/n 184765; with 6.5" swing x 14" center distance

SURFACE GRINDERS

1986 Grison 12" x 24" Model PSG5-3060 BH Hydraulic Surface Grinder: s/n 63018; with electro-magnetic chuck, over the wheel dresser, coolant system

Okamoto 6" x 18" Model PFG-450 Surface Grinder: s/n 1878; with permanent magnetic chuck, 8,000 rpm

Reid 6" x 18" No.2B Surface Grinder: with permanent magnetic chuck

BANDSAWS

Marvel Series 13A Automatic Hydraulic Horizontal Bandsaw: s/n D-020113-W; with coolant system, infeed conveyor, power clamping and feed





CNC Tool Holder



Grison Grinder



Holice BU16



Hostivar BUAJ28



Nardini Radial Arm Drill



Okamoto Grinder




Arboga Radial Drill



Nardini Radial Arm Drill



Electric Lift



Rockwell Drill



Sunnen Hone



Sunnen Tooling



J & L Comparator



Electric Lift



Rockwell Drill

Grob 24" Model 4V-24 Vertical Bandsaw: s/n 1770; with pneumatic table feed, blade welder

Grob 18" Model NS18 Vertical Bandsaw: s/n 3360; with blade welder

DoAll 16" Model V-16 Vertical Bandsaw: s/n V-3840; with blade welder

Kysor/Johnson Model J Horizontal Bandsaw: s/n H26746

MILLING MACHINES

1990 Lilian Model OX-1 Vertical Mill: s/n ME-1016; with Newall Topaz 2x DRO; 65" x 12" table, spindle speeds from 80 to 4,000 R.P.M.

Bridgeport 2HP Variable Speed Ram Type Vertical Mill: s/n BR279252; with 9" x 48" table with power feed, Newall Topaz 2x DRO

Bridgeport 2HP Variable Speed Ram Type Vertical Mill: s/n BR268462; with 9" x 48" table with power feed, Newall Sapphire 2x DRO

Bridgeport 2HP Variable Speed Ram Type Vertical Mill: s/n BR268450; with 9" x 48" table, Newall Sapphire 2x DRO

Bridgeport 2HP Variable Speed Ram Type Vertical Mill: s/n BR261323; with 9" x 48" table, ball screw on table,

Digipac 2x DRO

Bridgeport 2HP Series II Special Ram Type Vertical Mill: s/n 3889S; with 66" x 11.5" with power feed, Newall Sapphire 2x DRO
3-Deckel Model FP-2 Universal Mills: s/n 45024, 45018 & 4649; with vertical attachment, 28" x 10" table, spindle speeds from 40 to 2,000 r.p.m.

Kearney & Trecker Model 1236 Horizontal Production Mill: s/n 123658-6581; 54" x 12" table, arbor support, coolant system

Kearney & Trecker Model 2HL Universal Horizontal Mill: s/n 195247; with 46" x 9.5" table, spindle speeds from 35 to 1088 rpm, 2-arbor supports, coolant system

LATHES

Harrison 16" x 66" Model M400 Engine Lathe: s/n 4033903491; with Newall Topaz 2x DRO, spindle speeds from 40 to 2,000 rpm, inch/metric threading, 10" 3 jaw chuck, accessories, coolant system

Harrison 16" x 66" Model M400 Engine Lathe: s/n 401082915; with spindle speeds from 40 to 2,000 rpm, inch/metric threading, 10" 3 jaw chuck, accessories, coolant system

Harrison 13" x 45" Model M300 Engine Lathe: s/n 309105; with Newall Sapphire 2x DRO, spindle speeds from 40 to 2,500 rpm, 8" 3 jaw chuck, acces-





DiAcro Press Brake

Doall V-16 Bandsaw

Grob 4V-24 Bandsaw

Littell Feeder

Marvel Bandsaw

series, coolant system

LeBlond Makino Regal Servo Shift 17" x 60" Engine Lathe: s/n 15C-687; with Newall Topaz 2x DR0, spindle speeds from 69 to 1800 rpm, inch/metric threading, 10" 3 jaw chuck, accessories

Hardinge Model HLV-H Second Operation Lathe: s/n HLV-H-6392; with 3,000 rpm spindle speed, collet closure, threading, tailstock

Hardinge Model VBS Second Operation Lathe: s/n DV-59-10662; with 3,000 rpm spindle speed, collet closure, turret attachment

Hardinge Model HSL Speed Lathe: s/n HSL-5C-3711-7

1994 Enco 110-2033 Precision Bench Lathe: s/n 941040; with spindle speeds from 50 to 1200 rpm, 3 & 4 jaw chucks, with ceramic coating system

DRILLS

Nardini 4' x 12" Model FRN50 Radial Arm Drill: s/n D2JCU593; with box table, spindle speeds from 29 to 1,700 r.p.m., power clamping, coolant system

Arboga 3' arm x 8.5" column Model ER830 Radial Arm Drill: s/n 52476; with spindle speeds from 97 to 1070 r.p.m., box table, coolant, 1.5 hp

Leland-Gifford 20" Single Spindle Production Drill

3-Clausing Model 1633 Single Spindle Drills: s/n 126724; mounted on common production table

3-Delta/Rockwell 15" Model 15-655 Variable Speed Drills: s/n 15B1068; mounted on common production table

Clausing Model 2286 Drill: s/n 524797; mounted on table

Walker-Turner Model 1216-24 Drill: s/n 000335; mounted on table
Rockwell/Delta 20" Drill

Rockwell 15" Model 15-665 Drill: s/n 1787705

Delta/Rockwell 15" Model 15-655 drill: s/n 1614255

FABRICATION EQUIPMENT

Betenbender 6' x 95 ton Hydraulic Press Brake: s/n 44593; with back gage

1999 Betenbender 6' x 1/4" Hydraulic Shear: s/n 99693; with back gage, 60" between uprights, squaring arm

DiAcro 48" No. 48 Hydra-Power Press Brake: s/n 1118; with back gage





Metal Muncher



Stock Straightener



Bernard



Miller Syncrowave 350



PRE Feeder



Presstronics Uncoiler



Rollshear



Miller Syncrowave 300 -2



Miller Syncrowave 300



Miller Syncrowave 350 -2



Miller Syncrowave 350



APB Fast-Tap



MBM Balancing Machine



Jet Disk Sander



Kaeser Air Compressor

Metal Muncher Model MM35 Hydraulic Iron Worker: s/n CH183362; capacity 1" rounds, 1" square, 3" x 3" x 5/16" angles, 3/16" x 18" - 3/4" x 6" flats

Rollshear 36" x 10 ga. Model PR4-36 Power Roll: s/n 20370; with Link safety controls

Presstronics Double End Uncoiler: with 16" max. width, 36" max. O.D.

Coilmate Model CM3042 Uncoiler: s/n 3443; with rotating platform

Cullen & Friestedt 10,000 lb. Sheet Lifter: s/n 977

Littell Spectrafeed Stock Feed: s/n 94397-00

PRE Model P20F12-HDSC Stock Feeder: s/n 0900-036; with Indramat CTA10 control; max. width 12", max. thickness .144"

Rowe Model A15-080 7 roll Stock Straightener & Feeder: s/n 5793; 15" max. width, max. material thickness 020-080"

•4' x 5' electric lift table: 3,500 lb. capacity

•8' x 20" hydraulic lift table

•4' x 18" hydraulic lift table

•Enerpac 25 ton Hydraulic H-Frame Press: with power pack

•K.R. Wilson 25 ton Model 37 Hydraulic H-Frame Press: s/n 2027

•Carolina Model CBP 1200 Hydraulic H-Frame Press: s/n CBP-5799

•J.A. Richards Model 5HDSB2197 Multifarm Bender

•Famco No. 4R Ratchet Type Arbor Press: on base

•Famco No. 4C Ratchet Type Arbor Press: on base

•Famco No. 3 1/2 R Ratchet Type Arbor Press: on base

•Famco No. 3R Ratchet Type Arbor Press: on base

•Famco No. 2 Arbor Press: on base

•Atlas No. 2 Arbor Press: on base

•Whitney No. 38 Hand Shear

•Whitney No. 16 Hand Punch

•Whitney-Jensen Model 29 Kick Press

•Whitney-Jensen Kick Press

WELDING EQUIPMENT

•2-Miller Syncrowave 350 AC/DC Arc Welders: s/n JJ415284 & JJ436183

•2-Miller Syncrowave 300 AC/DC Arc Welders: s/n JF876962 & JE753440

•Miller 250 amp CP-250SM DC Welder: s/n R366791; with Miller wire feeder, mounted on cart

•Miller 250 amp Dialarc HF AC/DC Arc Welder: s/n HK354070

•1999 Stanco Special 55 KVA 3 gun Spot Welder: s/n 996008

•Bernard Chiller

•Welding carts with gages and hoses

•Welding tables, curtains,





Kalamazoo Chop Saw

Lifting Magnets

Radial Arm Saw

Sander

Skat-Blast

MISCELLANEOUS MACHINES

- Sunnen Model MBB-1690 Precision Hone: s/n 88530; with power stroker, large quantity of tooling
- Landa Model SJ-15B Parts Washer: s/n H0498-4772
- 1999 Brierley Model ZB32 Drill Grinder: s/n 29F9913070
- Sellers Type 6G Drill Point Grinder: s/n 02-1840; 2 hp
- Simplicity Powered Piston Grinder
- Powermatic Model 30 Combination 12" disk sander & 6" belt sander: s/n 130412
- Yates American Model 33W001 Combination 12" disk sander & 6" belt sander: s/n 76526
- Torit Downflo Dust Collector
- Madison Balancing Machine
- Rockwell/Delta 14" Model 14-AS Radial Arm Saw: s/n 1G9401
- Jet 20" Model JDS-20-3 Disk Sander: s/n 4060022; 2hp
- 1999 APB Fast-Tap 800 Model FT800 Tapper: s/n 99051001; 3/8" capacity, mounted on table
- Thera-Kleen Model Ultra 1000 Hot Pressure Washer: s/n 2101; 200 btu
- DeVilbiss Paint Spray Booth: with exhaust system
- 5-Lyon Flammable Storage Cabinets
- Thermolyne Model F-A1740-1 Series 5 Electric Oven: s/n 6634; 7900 max. watts
- Quincy Model 41-800 Electric Heat Treat Oven: s/n 763

- Dispatch Style 288 Electric Oven: s/n 11299; 400 degrees F.
- Trinco Model 40E40/BP-2 Dry Blast Cabinet: s/n 1423-8; with dust collector
- Blast Dry Skat-Blast Dry Blast Cabinet: s/n SA23082; with dust collector
- Kalamazoo Abrasive Chop Saw
- Hercules Model HI-469 Low Level Hydraulic Dumper: s/n D1663
- KEI Model 6500-1 Smoke Eater: s/n 12014
- Hytrol Model PCH Power Inclined Chip Conveyor: s/n 183264, 18" wide

INSPECTION EQUIPMENT

- Jones & Lamson 14" Model PC-14 Optical Comparator
- Wilson Rockwell Model 3JR Hardness Tester: s/n 10394
- Square Master 12" Model VSQ-12 Height Gage: s/n 12-383A 24" height gage, Mitutoyo 13" Height Gage, Brown & Sharpe micrometer set, microscope, pin gages, plug gages, go-no go gages, micrometers, granite surface plates, etc.
- 7-DeLuxe Systems 12 drawer cabinets
- 2-Lista 10 & 12 drawer cabinets

SIMPLEX HEADS

40 New Simplex Boring Heads





Yale Forklift



Allis-Chalmers Forklift



Bridge Crane



Digital Scale



Economy



Genie Lift



Hercules



Hi-Jacker



Hytrol



Torit Downflo



Sullair



Office Equipment



Office Equipment



Printer



Office Equipment

AIR COMPRESSOR

- 1997 Sullair Model ES-6 Screw Type Tank Mounted Air Compressor
- 1996 Kaeser Model KRD050 Screw Type Tank Mounted Air Compressor: with Model SM11 air dryer

BATTERY CHARGERS

- Kodiak 12 volt Model 6K865B3 Battery Charger: s/n BD10235
- C & D 24 volt Model FR12CE255M Battery Charger
- 4-C & D 12 volt Model FR6CE640S Battery Chargers
- Exide Battery Charger
- APA Model 12060 Battery Charger: s/n 0498
- 3-GNB 12 volt Model SCR 100-06-47551-H Battery Chargers

MATERIAL HANDLING EQUIPMENT

- Allis-Chalmers 12,000 lb. Model ACC-120N LPG Forklift Truck: s/n ABL-133360; with dual mast, 54" forks, 105" max. height, solid tires
- Yale 3,500 lb. Model GC035AJUAT077 LPG Forklift Truck: s/n M227452; with dual mast, 168" max. height, solid tires
- Abell-Howe 2 ton Bridge Crane: with 25' span, Coffing 2 ton electric hoist, pendant control
- Abell-Howe ½ ton Jib Crane: with ½ ton electric hoist
- Lodestar ¼ ton electric hoist

- Genie Easy-up Model PEY19DC Hydraulic Manlift: s/n 2486-9315; with 300lb. capacity, 19' max.height
- Economy Hi-Jacker Manlift: 300 lb. capacity
- Economy 1,000 LB. Model CFFF-54-A Electric Die Lift
- Presto 1,000 lb. Model B666MOD Hydraulic Die Lift: s/n 35490-W
- Carolina Hydraulic Engine Hoist
- Hydraulic pallet jacks
- 3-lifting magnets
- fork truck fork extensions

SHOP EQUIPMENT

- Weigh-Tronix 250 lb. Model 3835 Shipping Scale: s/n SR68900201
- Cyklop Model CET-222 Automatic Tape Shooter
- Cyklop Model CMT-100 Tape Shooter

Machine accessories including machine vises, Hartford and Cushman indexers, cam cutter, work benches with vises, pallet racking, bar stock racks, steel shelving, storage cabinets, portable parts racks, 10-pedestal grinders, magnetic base drills, die carts, pedestal shop fans, foreman's desks, banding carts with tools, power tools, large assortment of inspection equipment, large assortment of perishable tooling, etc.

Office furniture and engineering office with computers, printers, cubicles, conference tables, chairs, etc.





**INTERNATIONAL
AUCTIONEERS,
INCORPORATED**

Appraisals • Auctions • Liquidations

8711 West Bryn Mawr • Suite 605 • Chicago, IL 60631

Tel.: 773.864.9775 • Fax. 773.864.9776

www.iaiauctions.com

IL Auction Lic. #041.0000551

RMT TECHNOLOGIES, INC.

LARGE MACHINE & FABRICATION SHOP

3131 RANDOLPH

BELLWOOD, IL 60104

PRSR
First-Class Mail
U.S. Postage
PAID
Chicago, Illinois
Permit No. 4184

Complimentary
refreshments
provided by:



INTERNATIONAL
AUCTIONEERS,
INCORPORATED

proxibid

www.proxibid.com

AUCTION

RMT TECHNOLOGIES, INC.

LARGE MACHINE & FABRICATION SHOP

3131 RANDOLPH

BELLWOOD, IL 60104

WEDNESDAY SEPT. 12TH, 2007 AT 9 A.M.

TERMS AND CONDITIONS

Everything will be sold to the highest bidders for cash, in accordance with the auctioneer's customary "Term of Sale," copies of which will be posted on the premises, subject to applicable federal, state and local taxes, if any.

A deposit of 25%, by cash or certified check, will be requested on all purchase with balance immediately following the sale. ONLY CASH, CERTIFIED CHECK OR CASHIER'S CHECK PAYABLE TO INTERNATIONAL AUCTIONEERS, INC. WILL BE ACCEPTED. FIRM CHECKS WILL BE ACCEPTED ONLY IF ACCOMPANIED BY BANK VERIFICATION. No personal checks. A refundable \$500.00 deposit required to register.

Although obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale.

WE ACCEPT PROXY BIDS.

EVERYTHING IS SOLD 'AS IS' AND 'WHERE IS' WITHOUT ANY WARRANTIES, EXPRESSED OR IMPLIED. ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR ANY PURPOSE ARE SPECIFICALLY EXCLUDED.

**A 12.5% Buyers' Premium will apply to on site sales.
A 16% Buyers' Premium will apply to all proxibid sales.**

INSPECTION:

TUESDAY SEPT. 11TH • FROM 9AM – 4PM

**INTERNATIONAL AUCTIONEERS, INC.
APPRAISAL SERVICES**

If you require a detailed appraisal for banking, insurance, or estate purposes, consult with the certified appraisers at International Auctioneers, Inc. We can provide Going Concern, Fair Market or Liquidation Value appraisals.

We can provide appraisal services for all types of industrial manufacturing equipment.

Call us in complete confidence with your requirements. Tel.: 773.864.9775

proxibid

www.proxibid.com



**INTERNATIONAL
AUCTIONEERS,
INCORPORATED**

Appraisals • Auctions • Liquidations

8711 West Bryn Mawr • Suite 605 • Chicago, IL 60631

Tel.: 773.864.9775 • Fax. 773.864.9776

www.iaiauctions.com

IL Auction Lic. #041.0000551